	1	, 50m					2011 - 2015
15.03.2024 III	. 9 +: 1:12.50 /		II . 9+:1	:02.50 /	Ι.	9 +: 52.50 /	
 III	9 +: 45.00 /	Ш	9 +: 41.00 /	.02.30 /	9 +: 36.90	3 1. 32.30 7	
: FINA 2022							
	2011 - 2013						
1.	,		11			38.62	436 II
2.	,		12	-		41.90	341 III
3.	,		11	-		42.04	338 III
4.	,		11	-		43.01	316 III
5.	,		11			43.18	312 III
6.	,		11			43.49	305 III
7.	,		11	-17		43.62	303 III
8.	,		11			43.79	299 III
9.	,		12	-		43.88	297 III
10.			13	_		44.78	280 III
11.	,		12			45.11	274 1
12.	,		11		п п	45.45	267 1
13.	,		13			45.61	265 1
14.	,		13			45.94	259 1
15.	,		12	-17		46.66	247 1
16.	,		13	-17		47.45	235 1
17.	,		12	• • • • • • • • • • • • • • • • • • • •		47.49	234 1
18.	,		11			48.00	227 1
19.	,		12			49.36	209 1
20.	,		13			49.55	206 1
20.	,		13			49.69	205 1
22.	,		12	_		50.53	194 1
23.	,		13	_		51.69	182 1
23. 24.	,		11	15		51.97	179 1
2 5 .	,		13	10	" "	52.94	169 2
26.	,		11			54.18	158 2
20. 27.	,		12	-17		56.02	143 2
28.	,		12	- 17	"	58.02	128 2
26. 29.	,		12			58.40	126 2
DSQ	,		12	"	"	30.40	120 2
DSQ	,		12				
	2014 - 2015						
1.	,		14	-17		52.86	170 2
2.	,		15	_		53.15	167 2
3.	,		14	_		54.74	153 2
4.			14			55.31	148 2
5.	,		14			57.94	129 2
6.	,		14			59.03	122 2
7.	,		14	-17		1:01.10	110 2
8.	,		15	• •		1:01.98	105 2
DSQ	,		15			1.01.30	100 2
200	,		10				

2 15.03.2024			, 50m				
III .	9 +: 1:06.00 /		56.00 /	l .	9 +: 46.00 /		
: FINA 2022	9 +: 39.50 /	II 9 +: 36.00 /	I	9 +: 32.60			
	2011 - 2013						
1.	,	11			37.43	333 III	
2.	,	11	-17		37.69	326 III	
3.	,	11			37.93	320 III	
4.	,	11	-		40.46	263 1	
5.	,	11			40.75	258 1	
6.	,	11	•		40.78	257 1	
7.	,	12	-		40.81	257 1	
8.	,	11			40.82	256 1	
9.	,	11			40.92	255 1	
10.	,	11	-		41.09	251 1	
11.	,	11			41.40	246 1	
12.	j	12			41.78	239 1	
13.	,	11			41.96	236 1	
14.	,	11			42.56	226 1	
15.	,	12			43.50	212 1	
16.	,	12	47		44.45	198 1	
17.	,	12	-17		45.50 47.04	185 1	
18.	,	11	47		47.04	167 2	
19.	,	12	-17		47.10	167 2	
20.	,	13			47.56	162 2	
21.	,	12			47.68	161 2	
22.	,	12			48.09	157 2	
23.	,	13	-		48.60	152 2	
24.	,	12	17		48.81	150 2	
25.	,	11	-17		49.84	141 2	
26.	,	13 12			50.81 50.93	133 2 132 2	
27.	,	12	17		50.93 51.11	132 2	
28. 29.	j	13	-17 -17		52.03	124 2	
30.	,	13	-17		52.48	124 2	
30. 31.	,	13			54.56	107 2	
32.	,	13			55.57	107 2	
33.	,	12			56.06	99 3	
34.	,	12	-17		56.21	98 3	
35.	,	12	-17		1:05.14	63 3	
DSQ.	,	13			1.00.14	00 0	
	2014 - 2015						
1.		14	_		49.06	147 2	
2	,	14	_		50.07	139 2	
3	,	14 14			56.00	99 2	
3. 4.		15			56.22	99 2 98 3	
4. 5.	,	14			1:00.93	90 3 77 3	
J.	,	15			1.00.33	11 3	

3 , 50m					2011 - 2015		
15.03.2024 III	. 9 +: 1:00.00 /		II . 9+:5	50.50 /	Ι.	9 +: 40.50 /	
iii	9 +: 33.50 /	П	9 +: 31.50 /)0.00 / I	9 +: 28.80	0 1. 40.00 7	
: FINA 2022							
	2011 - 2013						
1.			11			29.68	507 II
2.	,		11			30.00	491 II
3.	,		11	_		30.46	469 II
4.	,		11			30.78	454 II
5.	,		11			31.47	425 II
6.	,		11			31.90	408 III
7.	,		11	_		31.97	405 III
8.	,		12	-17		32.57	383 III
9.	,		12	.,		32.68	379 III
10.	,		11		" "	32.72	378 III
11.	,		11	-17		33.32	358 III
12.	,		11	-17		33.65	348 1
13.	,		12		" "	33.73	345 1
14.	,		11			33.95	338 1
15.	,		12	-17		33.96	
16.	,		12	-17		34.09	338 1 334 1
10. 17.	,		12	-17		35.09	306 1
17. 18.	•		12	-17		35.52	295 1
16. 19.	,		12	-17		35.60	293 1
	,			-17			
20.	,		13	47		36.16	280 1
21.	,		12	-17		36.37	275 1
22.	,		11			36.68	268 1
23.	,		11			36.86	264 1
24.	,		11			36.97	262 1
25.	,		12			37.07	260 1
26.	,		11			37.11	259 1
27.	,		12			37.55 27.56	250 1
28.	,		11			37.56	250 1
29. 20.	,		13			37.92	243 1
30.	,		13	47		39.83	209 1
31.	- ,		13	-17 "	"	40.45	200 1
32.	,		12			40.92	193 2
	,		11	47		40.93	193 2
34.	,		13	-17		44.78	147 2
35.	,		11	-17		45.55	140 2
36.	,		13	-17		46.08	135 2
37.	,		13	"	"	46.96	128 2
38.	,		13			47.31	125 2
39. 40	,		11	15		47.65 47.86	122 2
40.	,		12	-17		47.86	120 2
41.	,		13	-17		49.80	107 2
42.	,		13	-17		1:08.28	41
DSQ	,		13	-17			
DSQ	,		12	-17			
DSQ	,		11	-17			

. , 15. - 16.03.2024

3,

, 50m

	3, , 50m					
	2014 - 2015					
	2014 2010					
1.	,	15			36.55	271 1
2.	,	14			38.31	235 1
3.	,	14			39.19	220 1
4.	,	14			39.53	214 1
5.	,	14	"	"	40.40	201 1
6.	,	14		" "	40.47	200 1
7.	,	14			40.62	197 2
8.	,	15			41.21	189 2
9.	,	14		" "	41.93	179 2
10.	,	14			42.27	175 2
11.	,	14			42.55	172 2
12.	,	14	47		42.91	167 2
13.	,	14	-17		43.64	159 2
14.	,	14	II.	"	43.86	157 2
15.	,	14			44.25	153 2
16.	,	14	-17		44.30	152 2
17.	,	15	47		46.10	135 2
18.	,	14	-17		47.26	125 2
19.	,	15 15			49.44	109 2
20. 21.	,	15 15			50.30 51.35	104 2 97 3
21. 22.	,	14			51.35 52.54	91 3
	,					
23.	,	14 15			53.03 55.14	88 3 79 3
24. 25.	,	14		11 11	55.14	79 3 78 3
25. 26.	,	15			57.75	68 3
20. 27.	,	14	-17		58.40	66 3
28.	,	14	-17		58.73	65 3
29.	,	15			59.25	63 3
29. 30.	,	15	-17		1:01.59	56
31.	,	15	-17		1:02.32	54
32.	,	14			1:05.32	47
33.	,	15			1:07.98	42
34.	,	14			1:10.13	38
DSQ	,	15			1.10.13	30
DOQ	,	10				
	4	, 50r	n			2011 - 2015
15.03.2024		,				
III		II . 9 +: 46	5.00 /	1 .	9 +: 36.00 /	
III		II 9 +: 27.80 /	I	9 +: 25.40		
: FINA 2022	2					
	2011 - 2013					
4						44.4 1"
1.	,	11			28.05	414 III
2.	,	11			28.29	403 III
3.	,	11			29.03	373 III
4. -	,	11			29.29	363 III
5.	,	11			29.65	350 III
6. 7	,	12			29.68	349 III
7.	,	11			30.15	333 1

		. ,	15 16.03.2024	
	4, , 50m	,	2011 - 2013	
	,	,		
8.	,	11		30.75 314 1
9.	,	12	-17	31.06 305 1
	,	11		31.06 305 1
11.	,	11		31.22 300 1
12.	,	12		31.38 295 1
13.	,	11		31.41 295 1
14.	,	11	•	31.47 293 1
15.	,	11		31.48 293 1
16.	,	11		31.94 280 1
17.	,	13		32.06 277 1
18.	,	11		32.50 266 1
19.	,	12	-	32.62 263 1
20.	,	12	-17	32.80 259 1
21.	,	12	-17	32.84 258 1
22.	,	11	4	32.93 256 1
23.	,	12	-17	33.00 254 1
24.	,	13	-	33.08 252 1
25. 26.	,	12 11		33.39 245 1 33.78 237 1
20. 27.	,	12	-17	33.78 237 1 33.86 235 1
27. 28.	,	12	-17	33.92 234 1
20. 29.	,	13	_	34.01 232 1
30.	,	11	-	34.08 230 1
31.	,	11	•	34.11 230 1
32.	,	12		34.12 230 1
33.	,	13	-17	34.38 224 1
	,	13	-17	34.38 224 1
35.	,	13		34.54 221 1
36.	,	12	и и	34.62 220 1
37.	,	12		34.95 214 1
38.	,	12		35.00 213 1
39.	,	13		35.03 212 1
40.	,	11		35.42 205 1
41.	,	11		35.43 205 1
42.	,	11	-17	35.44 205 1
43.	,	13	п п	35.46 205 1
44.	7	11		35.62 202 1
45.	,	12		35.69 201 1
46.	,	12		35.91 197 1
47.	,	12	-	36.05 195 2
48.	,	11	•	36.11 194 2
49.	,	11	<u>.</u>	36.23 192 2
50.	,	11	" "	36.35 190 2
51.	,	11		36.44 188 2
52.	,	12	47	36.53 187 2
53.	,	12	-17	36.69 185 2
54.	,	12		36.73 184 2
55.	,	11		37.07 179 2
56. 57	,	11 12	-17	37.50 173 2 37.68 170 2
57. 58.	,	13	-17	37.68 170 2 37.74 170 2
59.	,	11	п п	38.11 165 2
60.	,	13		38.21 163 2
	,			

			, 15 16.03.2024	
	4, , 50m		2011 - 2013	
	4, , , , , , , , , , , , , , , , , , ,	,	2011 2013	
61.		11	-17	38.33 162 2
62.	,	13		38.46 160 2
63.	,	13		38.50 160 2
64.	,	12	-17	38.55 159 2
65.	,	11	" "	38.71 157 2
66.	,	12		38.72 157 2
	,			
67.	,	13	47	38.92 155 2
68.	,	11	-17	39.12 152 2
70	,	12	-17	39.12 152 2
70.	,	12	-17	39.25 151 2
71.	,	12	-17	39.54 147 2
72.	,	12	-17	39.81 144 2
73.	,	12	-17	40.03 142 2
74.	,	11	-17	40.14 141 2
75.	,	11	•	40.31 139 2
76.	,	13	-17	40.66 136 2
77.	,	11		40.84 134 2
78.	,	12	" "	40.96 133 2
79.	,	12	ппп	41.10 131 2
80.	,	13	-17	41.20 130 2
81.	,	12	-17	41.28 129 2
82.	,	13		41.48 128 2
83.	,	13		41.91 124 2
84.	,	11		42.05 122 2
85.	,	13	-17	42.75 117 2
86.	,	12	-17	42.90 115 2
87.	,	12	17	43.15 113 2
	,	13	-17	43.16 113 2
88.	,			
89.	,	13	-17	
90.	,	13	-17	43.68 109 2
91.	,	13	-17	44.06 106 2
92.	,	12	-17	44.34 104 2
93.	,	12		44.48 103 2
94.	,	13	-17	44.66 102 2
95.	,	13	-17	44.97 100 2
96.	,	12	15	45.09 99 2
97.	,	12	-17	45.43 97 2
98.	,	13	-17	45.81 95 2
99.	,	13		46.07 93 3
100.	,	13	-17	46.27 92 3
101.	,	11		46.43 91 3
102.	,	13	-17	46.44 91 3
103.	,	13	-17	46.99 88 3
104.	,	13	-17	47.49 85 3
105.	,	13	-17	47.72 84 3
106.	,	13	-17	48.08 82 3
107.	,	13	-17	48.30 81 3
108.		13	-17	48.84 78 3
109.	,	13	-17	50.00 73 3
110.	,	13	-17	50.64 70 3
110.	,	13	-17 -17	51.40 67 3
111.	,	13	-17 -17	51.72 66 3
112.	,	13	-17 -17	52.93 61 3
113.	,	13	-11	32.33 01 3

15 - 16 03 2024

		. , 1	5 16.03.2024		
	4, , 50m	,	2011 - 2013		
114.	,	13		55.83	52 3
115.	,	11	15	58.94	44
116.	,	12	-17	1:00.40	41
117.	,	13	-17	1:00.55	41
118.	,	12	-17	1:01.27	39
DSQ	,	12	-17		
DSQ	,	13	-17		
DSQ	,	13	-17 -17		
DSQ DSQ	,	12 13	-17		
DOQ	,	15			
	2014 - 2015				
1.	,	14		32.84	258 1
2.	,	14		37.85	168 2
3.	,	14		38.44	160 2
4.	,	15		38.62	158 2
5. C	j	15	11 11	39.59	147 2
6. 7.	,	14 14		39.98 40.49	143 2 137 2
7. 8.	,	14		40.49	137 2
9.	,	14		40.79	134 2
10.	,	14	-17	42.14	122 2
11.	,	14		42.21	121 2
12.	,	14		42.26	121 2
13.	,	14	-17	42.70	117 2
14.	,	15		42.71	117 2
15.	,	14		42.77	116 2
16.	,	14		44.03	107 2
17. 18.	,	14 14	-17	44.12 44.64	106 2 102 2
19.	,	14	-17	45.13	99 2
20.	,	15	-17	45.13 45.90	94 2
21.	,	14	-17	46.00	93 2
22.	,	14		46.10	93 3
23.	,	15	-17	47.45	85 3
24.	,	15	11 11	48.71	79 3
25.	,	15		48.89	78 3
26.	,	15	" "	49.03	77 3
27.	,	14 14	" "	49.15	77 3 75 3
28. 29.	,	14	-17	49.48 50.31	75 3 71 3
30.	,	14	-1 <i>7</i> -17	50.39	71 3
31.	,	14	-17	50.66	70 3
32.	,	15	-17	50.78	69 3
33.	,	14	-17	51.55	66 3
34.	,	15	-17	52.56	62 3
35.	,	15	-17	52.69	62 3
36.	,	15		53.80	58 3
37.	,	15	-17	54.11	57 3 55 3
38. 39.	,	14 15	-17	54.78 55.20	55 3 54 3
39. 40.	,	15 14	-17 -17	55.20 55.28	54 3 54 3
40.	,	14	-17	33.20	J -1 J

			0044 0045		
	4, , 50m	,	2014 - 2015		
41.		15	-17	56.32	51
42.	,	14	-17	56.43	50
43.	,	15	17	56.71	50
44.	,	14		57.58	47
45.	,	14		57.78	47
46.	,	15	-17	59.58	43
47.	,	14	••	1:00.31	41
48.	,	15		1:00.58	41
49.	,	14	-17	1:00.70	40
50.	,	15	-17	1:01.02	40
51.		15	-17	1:01.31	39
52.	, -	15	• •	1:02.33	37
53.	- ,	14	-17	1:04.83	33
54.	,	15	• •	1:06.31	31
55.	,	15	-17	1:09.83	26
56.		15		1:10.28	26
57.	,	15		1:10.51	26
58.	,	15		1:10.93	25
59.	,	15		1:11.21	25
60.	,	15		1:14.65	21
61.	,	14	-17	1:18.46	18
DSQ	,	14	-17		.0
DSQ	,	14	-17		
DSQ	,	14	-17		
DSQ	,	14	••		
	,				
	5	, (6 x 50m		2011 - 2015
15.03.2024					
: FINA 2022					
	2011 - 2013				
1.	2011 - 2013 1			3:12.47	
1.		11	,	3:12.47 13	
1.		13	,	13 12	
1.		11 13 11	, ,	13	
1. 2.		13	, , ,	13 12	
	, , ,	13 11 13	, , , -	13 12 12 12 3:12.69	
	, , ,	13 11 13 13	, , , , , , , , , , , , , , , , , , ,	13 12 12 3:12.69 12 11	
2.	1 , , , , ,	13 11 13	, , - , ,	13 12 12 3:12.69 12 11 11	
	1 , , 1	13 11 13 13 12	, , , , , , , , , , , , , , , , , , ,	13 12 12 3:12.69 12 11 11 3:24.44	
2.	1 , , , , ,	13 11 13 13 12	, , - , ,	13 12 12 3:12.69 12 11 11 3:24.44	
2.	1 ,, , , , , , ,	13 11 13 13 12 13	, , - , ,	13 12 12 3:12.69 12 11 11 3:24.44	
2.	1 ,, , , , , , ,	13 11 13 13 12	, , - , ,	13 12 12 3:12.69 12 11 11 3:24.44 12 11 12	
2.	1 ,, , , , , , ,	13 11 13 13 12 13 13 11	, , - , ,	13 12 12 3:12.69 12 11 11 3:24.44 12 11 12 3:25.28	
2.	1 ,, ,, ,, ,, ,, ,, ,, ,,	13 11 13 13 12 13 13 11	, , - , ,	13 12 12 3:12.69 12 11 11 3:24.44 12 11 12 3:25.28	
2.	1 ,, ,, ,, ,, ,, ,, ,, ,,	13 11 13 13 12 13 13 11	, , - , ,	13 12 12 3:12.69 12 11 11 3:24.44 12 11 12 3:25.28	
 3. 4. 	1 , , , , , , , , , , , , , , , , , , ,	13 11 13 13 12 13 13 11	, , - , ,	3:12.69 12 11 11 3:24.44 12 11 12 3:25.28 13 12 11	
2.	1 ,, ,, ,, ,, ,, ,, ,, ,,	13 11 13 13 12 13 13 11	, , - , ,	3:12.69 12 11 11 3:24.44 12 11 12 3:25.28 13 12 11 3:28.69	
 3. 4. 	1 , , , , , , , , , , , , , , , , , , ,	13 11 13 13 12 13 13 11 13 11 12	, , - , ,	3:12.69 12 11 11 3:24.44 12 11 12 3:25.28 13 12 11 3:28.69	
 3. 4. 	1 , , , , , , , , , , , , , , , , , , ,	13 11 13 13 12 13 13 11 13 11 12 11 13	, , - , ,	3:12.69 12 11 11 3:24.44 12 11 12 3:25.28 13 12 11 3:28.69 12 13	
 3. 4. 	1 , , , , , , , , , , , , , , , , , , ,	13 11 13 13 12 13 13 11 13 11 12	, , - , ,	3:12.69 12 11 11 3:24.44 12 11 12 3:25.28 13 12 11 3:28.69	

			•	, 15 16.03	.2024		
	5, , 6 x 5	50m	,		2011 - 2013	3	
6.	1				11 11	3:36.56	
0.	,	13			,	12	
	,	13 12		,	,	11 11	
16.03.2024	6		,	50m			2011 - 2015
	. 9 +: 1:08.00 / 9 +: 41.50 /	II	9 +: 37.50 /	-: 58.00 / I	l . 9 +: 32.50	9 +: 48.00 /	
: FINA 2022							
	2011 - 2013						
1.	,		11			35.82	427 II
2.	,		11			36.71	396 II
3.	,		12	-17		37.51	372 III
4. 5	,		12			37.81	363 III
5. 6.	,		11 11	_		37.93 38.52	359 III 343 III
7.	,		12			39.03	330 III
8.	,		11	-		39.19	326 III
9.	,		11			39.26	324 III
10.	,		11	-17		39.56	317 III
11.	,		11		" "	40.71	291 III
12.	,		11			41.20	280 III
13.	,		11			41.90	266 1
14. 15.	,		11 12	-17		41.91 42.46	266 1 256 1
16.	,		11	1,7		42.66	252 1
17.	,		12	-17		43.10	245 1
18.	j		13	-		43.13	244 1
19.	,		13			43.15	244 1
20.	,		12			43.87	232 1
20	,		12	-		43.87	232 1
22. 23.	,		11 12	"	II.	44.27 44.49	226 1 223 1
24.	,		13			44.54	222 1
25.	,		12	"	II.	45.17	213 1
26.	,		13	-17		45.64	206 1
27.	,		13	-17		45.78	204 1
28.	,		11	15		46.22	198 1
29.	,		11		" "	46.62	193 1
30.	,		11	47	" "	47.33	185 1
31. 32.	,		11 13	-17		48.28 48.92	174 2 167 2
32. 33.	,		11	-17		49.20	164 2
34.	,		13	"	II .	49.86	158 2
35.	,		13		" "	49.90	158 2
36.	,		13	II	II	50.06	156 2
37.	,		13	-17		51.36	144 2
38.	,		11	15		51.72	141 2
39.	,		11			52.25	137 2

15 - 16 03 2024

			, 15 16.03.20)24		
-	6, , 50m		2011 - 2013			
	0, , 00111	,	2011 2010			
40.		13			53.00	131 2
41.	,	12	-17		53.25	130 2
41. 42.	,	13	-1 <i>7</i> -17		54.14	123 2
43.	,	13	15		57.08	105 2
43. 44.	,	13	-17		1:04.43	73 3
	,					
45.	,	13	-17		1:05.28	70 3
	2014 - 2015					
	2014 - 2015					
1.	,	15			44.27	226 1
2.	,	14		" "	45.22	212 1
3.	,	14	-17		45.34	210 1
4.	,	14			45.56	207 1
5.	,	14	-17		46.68	193 1
6.	,	15	-		47.32	185 1
7.	,	14	-17		49.00	166 2
	,	15			49.00	166 2
9.	,	15		" "	49.65	160 2
10.	,	15			50.07	156 2
11.	,	14			50.74	150 2
12.	,	15			51.16	146 2
13.	,	14			51.34	145 2
14.	,	14	-17		51.81	141 2
15.	,	15			51.83	141 2
16.	,	14		n n	52.27	137 2
17.	,	14			53.00	131 2
18.	,	14	-17		53.93	125 2
19.	, ·	15	-17		54.23	123 2
20.	,	14		II .	54.27	122 2
21.	,	14			54.46	121 2
22.	,	15			55.27	116 2
23.	,	14			56.86	106 2
24.	,	15			58.43	98 3
25.	,	15			58.85	96 3
26.	,	14			59.27	94 3
27.	,	14			59.64	92 3
28.		14		и и	59.84	91 3
29.	,	15			1:00.28	89 3
30.	,	14			1:00.31	89 3
31.	,	15			1:00.85	87 3
32.	,	15			1:03.67	76 3
33.	,	15			1:05.26	70 3
34.	,	15			1:05.84	68 3
35.	,	15	-17		1:06.44	66 3
36.		14	-17		1:08.63	60
37.	,	14	• •		1:13.65	49
···	,				1110100	

7		,	, 50m			
16.03.2024 III	. 9 +: 1:02.50 /	II . 9+: 5	52.50 /	Ι.	9 +: 42.50 /	
III	9 +: 36.50 /	II 9 +: 33.00 /	1	9 +: 30.15		
: FINA 2022						
	2011 - 2013					
	2011 - 2013					
1.	,	11			33.84	347 III
2.	,	11			35.42	303 III
3.	,	12	-		37.41	257 1
4.	,	13	-		37.76	250 1
5.	,	11			37.90	247 1
6.	•	11			38.41	237 1
7.	,	12			38.87	229 1
8.	,	13			39.11	225 1
9.	,	12	-17		39.21	223 1
10.	,	11			39.37	220 1
11.	,	12			39.91	212 1
12.	,	13	_	_	40.02	210 1
13.	,	11	"	"	40.60	201 1
14.	,	13			40.67	200 1
15.	,	11			40.71	199 1
16.	,	12	-17		40.90	197 1
17.	,	12	-17		41.00	195 1
18.	,	13	-17		41.02	195 1
19.	,	12	-		41.09	194 1
20.	,	11			41.15	193 1
21.	,	12			41.34	190 1
22.	,	12		" "	41.53	188 1
23.	,	11			41.60	187 1
24.	,	11			41.85	183 1
25.	ÿ	12			42.00	181 1
26.	,	11	-17		42.72	172 2
27.	,	11			42.86	171 2
28.	,	11			43.15	167 2
29.	,	12			43.41	164 2
30.	,	12			43.58	162 2
31.	,	11	"	"	43.66	161 2
32.	,	13			44.12	156 2
33.	,	13			44.17	156 2
34.	,	11			44.19	156 2
35.	,	13	-17		44.56	152 2
	,	11			44.56	152 2
37.	,	11		" "	44.67	151 2
38.	,	11	-17		44.82	149 2
39.	,	12			44.89	149 2
40.	,	12			44.91	148 2
41.	,	13			45.00	147 2
42.	,	13			45.22	145 2
43.	j	13		_	45.32	144 2
44.	,	11		" "	45.36	144 2
45.	,	13	-17		45.57	142 2
46.	,	12	-17		46.00	138 2
47.	,	11	"	"	46.08	137 2

			, 15 16.03.2024	
-	7 50m		2011 - 2013	
	7, , 50m	,	2011 - 2013	
48.	,	11		46.35 135 2
49.	,	13		46.36 135 2
50.	,	13	" "	46.60 133 2
51.	,	13	-17	46.65 132 2
52.	,	13	-17	46.75 131 2
53.		12	-17	46.91 130 2
54.	,	13	-17	47.55 125 2
55.	,	12	-17	47.99 121 2
56.	,	12	-17	48.37 119 2
57.	,	12	17	48.59 117 2
	,		47	
58.	,	12	-17	48.78 116 2
59.	,	11	-17	49.28 112 2
60.	,	12	-17	49.38 111 2
61.	,	13	-17	49.81 109 2
62.	,	12	-17	49.89 108 2
63.	,	13		49.92 108 2
64.	,	13		50.04 107 2
65.	,	11	-17	50.13 107 2
66.	,	13	-17	50.31 105 2
67.	,	13	-17	50.50 104 2
68.	,	13		50.51 104 2
69.		11		50.81 102 2
70.	,	13	-17	51.03 101 2
70. 71.	,	13	-17	51.64 97 2
71. 72.	,	12	-17	
	,		-17	
73.	,	13		51.77 97 2
74. 	,	12	-17	51.85 96 2
75.	,	13	-17	52.53 93 3
76.	,	12	-17	52.63 92 3
77.	,	13	-17	52.86 91 3
78.	,	13	-17	52.92 90 3
	,	12	-17	52.92 90 3
80.	,	12	-17	53.12 89 3
81.		13		53.44 88 3
82.		13	-17	53.63 87 3
83.		12	15	53.78 86 3
84.	,	11		53.93 85 3
85.	,	13	-17	54.00 85 3
86.	,	13	-17	54.32 84 3
	,	13 12		
87.	,		-17 17	
88.	,	13	-17 -17	54.57 82 3
89.	,	13	-17	54.78 82 3
90.	,	12		55.21 80 3
91.	,	13	-17	55.53 78 3
92.	,	13	-17	55.73 77 3
93.	,	13	-17	55.91 77 3
94.	,	12		56.71 73 3
95.	,	13	-17	56.87 73 3
96.	,	13	-17	57.08 72 3
97.	,	13	-17	57.48 70 3
98.	,	13	••	58.20 68 3
99.	,	11		58.64 66 3
100.	,	11	15	59.41 64 3
100.	,	1.1	10	33.71 04 3

		. , 15 16.03.2024	
	7, , 50m	, 2011 - 2013	
	7, , , , , , , ,	, 2011 - 2013	
101.		13 -17	1:01.99 56 3
	,	13	1:01.99 56 3
103.	,	12 -17	1:02.47 55 3
104.	,	13 -17	1:03.48 52
105.	,	12 -17	1:04.09 51
106.	,	12 15	1:07.52 43
107.	,	13	1:09.47 40
108.	,	12 15	1:14.22 32
DSQ	,	12 -17	
DSQ	,	13 -17	
DSQ	,	13 -17	
	2014 - 2015		
1.		14	37.20 261 1
2.	,	14 -	41.97 182 1
3.	,	15	43.18 167 2
4.	,	14	44.72 150 2
5.	,	15	45.10 146 2
6.	,	14 -17	45.65 141 2
7.	,	14 " "	46.36 135 2
8.	,	15	46.41 134 2
	,	14	46.41 134 2
10.	,	14 -17	48.22 120 2
11.	,	14	48.43 118 2
12.	,	15	48.84 115 2
13.	,	14	48.90 115 2
14.	,	15 -17	49.06 114 2
15.	,	14	49.64 110 2
16.	,	14	50.19 106 2
17.	,	15 " "	50.37 105 2
18.	,	14 -17	50.47 104 2
19.	,	14 -17	50.69 103 2
20.	,	14	51.19 100 2
21.	,	15 -17	51.27 100 2
22.	,	14 -17	51.82 96 2
23.	,	14 -17	52.10 95 2
24.	,	15	52.53 93 3
25.	,	15 -17	52.57 92 3
26.	,	14	52.73 91 3
27.	,	14	52.88 91 3
28.	,	14	53.68 87 3
29. 20	,	14 -17 14 " "	53.90 86 3 53.96 85 3
30. 31.	,	14	53.96 85 3 54.25 84 3
31. 32.	,	15 -17	55.22 80 3
33.	,	14 -17	55.42 79 3
34.	,	14	55.52 78 3
3 4 . 35.	,	15 -17	56.02 76 3
36.	,	15	57.40 71 3
37.	,	15 -17	57.87 69 3
38.	,	15	58.03 68 3
39.		14 -17	58.30 68 3
	,	• • • • • • • • • • • • • • • • • • • •	22.22

п п

	7, , 50m	, 2	, 2014 - 2015		
40.	,	15	-17	58.69	66 3
41.	,	15	-17	58.89	66 3
42.	,	14 15	-17	1:00.11	62 3 61 3
43. 44.	,	15 14		1:00.30 1:00.77	61 3 60 3
45.	,	15		1:01.45	58 3
46.	,	14		1:01.59	57 3
47.	,	15	-17	1:01.80	57 3
48.	,	15	" "	1:01.83	57 3
49.	,	15	-17	1:02.50	55 3
50.	,	14	-17	1:02.53	55
51.	,	15	-17	1:02.90	54
52.	,	14	-17	1:03.41	52
53.	,	14	-17	1:03.46	52
54.	,	14	-17	1:04.87	49
55. 56.	,	15 14		1:05.13 1:05.35	48 48
50. 57.	,	15		1:06.38	46
58.	, - ,	15		1:08.34	42
59.	,	14	-17	1:09.25	40
60.	,	15		1:10.72	38
61.	,	14	-17	1:11.09	37
62.	,	14		1:11.87	36
63.	,	15 1-		1:12.37	35
64.	,	15 15	-17	1:14.59	32
65. 66.	,	14		1:15.22 1:15.53	31 31
67.	,	14		1:17.08	29
DSQ	,	14		1.17.00	20
DSQ	,	14	-17		
DSQ	,	15	-17		
DSQ	,	15			
DSQ	,	15			
	8	, 50n	2		2011 - 2015
16.03.2024		, 301	11		2011 - 2013
III		II . 9+: 54	4.50 / I .	9 +: 44.50 /	
III	9 +: 37.50 /	II 9 +: 34.50 /	I 9 +: 31.90		
: FINA 2022					
	2011 - 2013				
1		11		32.23	435 II
1. 2.	,	11 11	_	32.23 33.76	378 II
3.	,	11		34.80	345 III
4.	,	11	-	34.81	345 III
5.	,	11		35.07	338 III
6.	,	11		37.11	285 III
7.	,	12	-	37.46	277 III
8.	,	11		37.84	269 1
9.	,	11		38.22	261 1
10.	,	12	-	39.24	241 1

		• ,		·		
	8, , 50m	,	2011 - 201	13		
4.4		4.4	4-		40.00	000 4
11.	,	11	-17		40.09	226 1
12.	,	11 12	-17		40.20 41.94	224 1 197 1
13. 14.	,	13			41.9 4 42.70	187 1
15.	,	11			43.22	180 1
16.	,	12		11 11	43.58	176 1
10. 17.	,	11			43.61	176 1
18.	,	12			44.51	165 2
19.	,	13			45.12	158 2
20.	,	12	-17		45.32	156 2
21.	,	12	-17		46.00	149 2
22.	,	12		11 11	46.11	148 2
23.	,	12			46.72	142 2
24.	,	13			47.57	135 2
25.	- ,	13	-17		47.78	133 2
26.		13		11 11	47.91	132 2
27.	,	12		" "	47.99	131 2
28.	,	13			51.35	107 2
29.	,	12	-17		53.08	97 2
	,					
	2014 - 2015					
4		45			40.44	104 1
1.	,	15			42.14	194 1
2. 3.	,	14 14			46.03 46.14	149 2 148 2
3. 4.	,	14			49.60	119 2
	,		-			
5.	,	14 14			52.71 53.16	99 2
6. 7.	,	14			53.48	97 2 95 2
7. 8.	,	14			59.45	69 3
9.	,	14			1:04.06	55 3
10.	,	14			1:04.00	48
10.	,	14			1.00.97	40
	9	, 50)m			2011 - 2015
16.03.2024						
III	. 9 +: 59.00 /	II . 9 +: 49	.00 /	I . 9 +: 39	.00 /	
	9 +: 34.00 /	II 9 +: 31.00 /	I	9 +: 27.90		
: FINA 2022						
	2011 - 2013					
1.		11			31.81	343 III
1. 2.	,	11			33.31	298 III
2. 3.	,	11	-		33.62	290 III
3. 4.	,	11			33.78	290 III 286 III
4. 5.	,	11			33.90	283 III
6.	,	11			34.37	272 1
6. 7.	,	11			34.37 34.41	272 1
7. 8.	,	11	•		35.01	257 1
9.	,	12	_		35.47	247 1
9. 10.	,	11	<u>-</u>		36.01	236 1
11.	,	12	-17		36.05	235 1
11.	,	12	- 17		30.03	200 I

		•	, 15 16.03.2024	
	9, , 50m	,	2011 - 2013	
12.	,	12		36.27 231 1
13.	,	11		36.46 227 1
14.	,	12		36.53 226 1
15.	•	13	-	36.63 224 1
16.	,	11		36.80 221 1
17.		12		37.53 208 1
18.	,	11		37.71 205 1
19.	,	11	-17	38.05 200 1
20.	,	11		38.18 198 1
21.	,	12	·	38.27 197 1
22.	,	11		38.51 193 1
23.	,	12	-17	38.75 189 1
23. 24.	,	11	17	38.80 189 1
2 5 .	,	13	_	38.86 188 1
26.	,	12	-17	39.19 183 2
	,	11	-17	
27.	,	11		39.69 176 2 40.08 171 2
28.	,		•	
29. 20.	,	12		40.53 165 2
30.	,	11		40.81 162 2
31.	,	12		41.27 157 2
32.	,	11		41.42 155 2
33.	,	11	47	42.06 148 2
34.	,	12	-17	42.44 144 2
00	,	12	" "	42.44 144 2
36.	,	12	" "	46.00 113 2
37.	,	11		46.61 109 2
38.	,	12	. —	47.56 102 2
39.	,	12	-17	47.65 102 2
40.	,	12		48.25 98 2
41.	,	13		48.94 94 2
42.	,	13		52.71 75 3
43.	,	13		53.02 74 3
44.	,	13		54.56 68 3
45.	,	12		54.93 66 3
DSQ	,	13	-17	
DSQ	,	11		
DSQ	,	13	11 11	
	2014 - 2015			
1.	,	14		44.21 127 2
2.	,	14		46.54 109 2
3.	,	14		48.79 95 2
4.		14		1:01.98 46
5.	,	14		1:02.84 44
DSQ	,	14		
	,	• •		

10		, 4 x 50m			2011 - 2015
16.03.202	24				
: FINA 202	22				
	2014 - 2015				
1.	1			2:40.81	175
	,	15	,	14	
	,	14	,	15	
2.	1			2:41.50	173
	,	14	,	15	
	,	15	,	14	
3.	1			2:56.72	132
	,	14 15	,	15 14	
	,	15	,		
4.	17 1	4.4	-17	3:24.10	86
	,	14 14	,	15 15	
DSQ	1		п п		
DOQ	, ,	, ,	, ,		
DCO		, ,	, ,		
DSQ	2				
	, ,	, ,	, ,		